


B 2 2 2

**Boulder County Nature Association  
Allegra Collister Nature Area  
Bird Banding Summary - Fall 1999**



**Colorado Bird Observatory**

The nets are frozen this morning. No more migrants are being seen. The nets were catching more falling leaves than birds. Its time.

On October 13th, the 9th consecutive fall season of bird banding came to a close after 31 days of study. We had opened on a balmy August 25th. Our efforts yielded 50 different species and 396 individual birds captured and banded. A Broad-tailed Hummingbird was captured and released unbanded. A Yellow-breasted Chat was honored as our 6,000th bandee. Also, we were excited to find three new and different (for ACNA) species in our nets: Mourning Dove, Worm-eating Warbler and Lark Bunting. Thats five new species in '99! Our busiest day was September 9th with 34 birds of 14 species.

Wow! Its hard to believe that we have banded 6,345 birds. And, to have captured 110 different species. When including the species sighted but not captured, the total for ACNA is 177. We think its an amazing record for such a small tract of habitat.

Members of Colorado Native Plant Society, at our request, have initiated a vegetation study at ACNA. The immediate focus is to identify the vegetation at and in close proximity to the net locations. Then, a more comprehensive inventory of the whole gulch will be conducted. Eventually, the various plant communities can be mapped to help determine, and confirm, relationships with the avian transients and residents. We appreciate all the volunteer interest and help.

Also, again at our invitation, David Leatherman, Entomologist for Colorado State Forest Service, has agreed to help us identify many of the insect denizens of the gulch. We've always been curious about what insects are attracted to the gulch and why. And, of course, we are even more curious about what insect critters are on the bird's menus. Which spider makes the best web for nest building material? What can the bugs tell us about the birds? Again, we are very appreciative of David's efforts.

We've witnessed a lot of change in '99. St. Vrain Road is now a fresh strip of black asphalt. Traffic is increasing and so is its speed. The horse ranch, on the south side of the gulch, is for sale. And the area around the gulch continues to grow. . . . . What next? We eagerly anticipate the year 2000. It will be our 10th year of banding at ACNA.

Virginia Dionigi      Tony Esposito      Joe Harrison      ///      Maggie Boswell      Tom Delaney



**Boulder County Nature Association**  
**Allegra Collister Nature Area**

**Colorado Bird Observatory**

**Bird Banding Summary - Spring 1991 through Fall 1999**

Species & Subspecies	1991 to '95		1995	1995	1996	1996	1997	1997	1998	1998	1999	1999	TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
1. Sharp-shinned Hawk <i>Accipiter striatus</i>	1	1	1	0	0	2	0	0	1	3	0	1	10
2. Cooper's Hawk <i>Accipiter cooperii</i>	1	0	0	0	0	0	0	0	0	0	0	1	2
3. Broad-winged Hawk <i>Buteo platypterus</i>	0	0	0	1	0	0	0	0	0	0	0	0	1
4. American Kestrel <i>Falco sparverius</i>	0	0	1	0	0	0	1	0	0	0	0	1	3
5. Yellow-billed Cuckoo <i>Coccyzus americanus</i>	0	1	0	0	0	0	0	0	0	0	0	0	1
6. Mourning Dove <i>Zenaida macroura</i>	0	0	0	0	0	0	0	0	0	0	0	1	1
7. Long-eared Owl <i>Asio otus</i>	[1]	[1]	0	0	0	1	0	0	0	0	0	0	1
8. Red-naped Sapsucker <i>Sphyrapicus nuchalis</i>	0	1	0	0	0	0	0	0	0	0	0	0	1
9. Downy Woodpecker <i>Picoides pubescens</i>	1	5	0	1	1	2	1	1	1	1	0	5	19
10. Hairy Woodpecker <i>Picoides villosus</i>	0	1	0	0	0	0	0	0	0	0	0	0	1
11. Red-shafted Flicker <i>Colaptes auratus</i>	2	15	0	1	0	0	0	2	0	5	0	1	26
a. Flicker Intergrade (hybrid)	0	2	0	0	0	0	0	0	0	3	0	0	5
12. Olive-sided Flycatcher <i>Contopus borealis</i>	0	0	1	0	0	0	0	0	0	0	0	0	1
13. Western Wood Peewee <i>Contopus sordidulus</i>	19	4	46	1	3	2	5	1	3	0	2	2	88
14. Eastern Wood Peewee <i>Contopus virens</i>	0	0	0	0	0	0	1	0	0	0	0	0	1
15. Alder Flycatcher <i>Empidonax alnorum</i>	0	0	0	0	0	0	1	0	0	0	0	0	1
16. Willow Flycatcher <i>Empidonax traillii</i>	11	2	12	0	13	2	10	1	5	2	2	2	62
17. Least Flycatcher <i>Empidonax minimus</i>	7	0	10	0	6	1	3	0	2	0	6	0	35
18. Hammond's Flycatcher <i>Empidonax hammondii</i>	0	1	10	0	0	0	1	0	0	0	0	0	12
19. Dusky Flycatcher <i>Empidonax oberholseri</i>	24	9	40	2	11	8	34	2	16	1	7	2	156
20. Gray Flycatcher <i>Empidonax wrightii</i>	0	0	1	0	1	1	0	1	0	0	0	0	4
21. Cordilleran Flycatcher <i>Empidonax occidentalis</i>	2	1	2	0	0	1	0	0	0	0	0	0	6
22. Eastern Kingbird <i>Tyrannus tyrannus</i>	0	0	0	0	0	1	1	0	0	0	0	0	2
23. Barn Swallow <i>Hirundo rustica</i>	1	0	1	0	0	0	0	0	0	0	0	0	2
24. Steller's Jay <i>Cyanocitta stelleri</i>	0	0	0	0	0	0	0	0	0	1	0	0	1

**Boulder County Nature Association**

**Allegra Collister Nature Area**

**Bird Banding Summary - Spring 1991 through Fall 1999**

**Colorado Bird Observatory**

Species & Subspecies	1992 to '95		1995	1995	1996	1996	1997	1997	1998	1998	1999	1999	TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
25. Blue Jay <i>Cyanocitta cristata</i>	0	1	0	2	0	3	0	0	0	4	0	1	11
26. Black-billed Magpie <i>Pica pica</i>	1	1	0	0	0	3	0	0	0	3	0	0	8
27. Black-capped Chickadee <i>Parus atricapillus</i>	15	49	2	12	2	25	2	6	1	19	3	12	165
28. Mountain Chickadee <i>Parus gambeli</i>	0	9	1	5	0	9	0	0	0	1	0	0	24
29. Red-breasted Nuthatch <i>Sitta canadensis</i>	0	0	1	0	1	1	0	0	0	2	0	0	5
30. White-breasted Nuthatch <i>Sitta carolinensis</i>	0	1	0	0	0	0	0	0	0	0	0	0	1
31. Pygmy Nuthatch <i>Sitta pygmaea</i>	0	0	0	0	0	0	0	2	0	0	0	0	2
32. Brown Creeper <i>Certhia americana</i>	0	4	0	0	0	0	0	1	0	3	0	2	10
33. Rock Wren <i>Salpinctes obsoletus</i>	0	0	0	0	1	1	0	0	0	0	1	0	3
34. House Wren <i>Troglodytes aedon</i>	15	19	13	4	12	8	13	11	16	8	7	18	144
35. Ruby-crowned Kinglet <i>Regulus calendula</i>	1	54	5	5	5	8	1	7	0	5	1	3	95
36. Golden-crowned Kinglet <i>Regulus satrapa</i>	0	0	0	0	0	0	0	0	0	1	0	1	2
37. Blue-gray Gnatcatcher <i>Poliophtila caerulea</i>	3	2	2	0	0	1	1	0	3	0	1	1	14
38. Townsend's Solitaire <i>Myadestes townsendi</i>	0	4	0	0	0	1	0	0	0	7	0	0	12
39. Veery <i>Catharus fuscescens</i>	3	1	1	0	1	0	3	0	0	0	0	0	9
40. Swainson's Thrush <i>Catharus ustulatus</i>	56	2	40	0	13	1	33	0	9	1	7	1	163
41. Hermit Thrush <i>Catharus guttatus</i>	0	0	1	0	3	2	0	0	0	3	1	1	11
42. American Robin <i>Turdus migratorius</i>	12	249	5	2	12	84	4	8	1	45	4	18	444
43. Gray Catbird <i>Dumetella carolinensis</i>	29	8	13	3	10	6	22	6	11	10	10	8	136
44. Sage Thrasher <i>Oreoscoptes montanus</i>	0	0	0	0	0	1	0	0	0	1	0	0	2
45. Brown Thrasher <i>Toxostoma rufum</i>	0	3	0	0	0	0	0	0	1	2	0	0	6
46. Cedar Waxwing <i>Bombycilla cedrorum</i>	1	1	0	0	0	0	0	0	1	3	5	0	11
47. Northern Shrike <i>Lanius excubitor</i>	0	0	0	0	0	0	0	1	0	0	0	0	1
48. European Starling <i>Sturnus vulgaris</i>	10	1	1	0	0	0	0	0	0	0	3	0	15
49. Plumbeous Vireo <i>Vireo plumbeus</i>	0	0	1	0	0	3	0	0	0	0	0	0	4

# Boulder County Nature Association

## Allegra Collister Nature Area

Bird Banding Summary - Spring 1991 through Fall 1999

# Colorado Bird Observatory

Species & Subspecies	1993 to '95		1995		1996		1997		1998		1999		TOTAL
	Sprng	Fall	Sprng	Fall	Sprng	Fall	Sprng	Fall	Sprng	Fall	Sprng	Fall	
50. Warbling Vireo <i>Vireo gilvus</i>	3	0	10	0	4	3	2	0	2	0	3	2	29
51. Red-eyed Vireo <i>Vireo olivaceus</i>	1	0	1	1	0	0	0	0	0	0	0	1	4
52. Tennessee Warbler <i>Vermivora celata</i>	3	0	2	0	0	0	1	0	1	0	0	0	7
53. Orange-crowned Warbler <i>Vermivora peregrina</i>	19	154	27	36	26	52	15	45	6	25	12	25	442
54. Nashville Warbler <i>Vermivora ruficapilla</i>	0	2	0	0	0	0	2	0	0	0	1	0	5
55. Virginia's Warbler <i>Vermivora virginiae</i>	13	2	7	2	3	3	7	0	0	0	4	0	41
56. Yellow Warbler <i>Dendroica petechia</i>	73	1	39	2	45	4	84	6	28	2	16	3	303
57. Chestnut-sided Warbler <i>Dendroica pensylvanica</i>	0	0	0	0	0	0	1	0	0	0	1	1	3
58. Black-throated Blue Warbler <i>Dendroica caerulescens</i>	0	0	0	1	0	0	0	0	0	0	0	0	1
59. Yellow-rumped Warbler <i>Dendroica coronata</i>	32	43	4	1	10	5	8	1	0	1	1	7	113
a. Myrtle <i>D. c. coronata</i>	10	5	0	0	7	3	5	0	0	0	0	0	30
b. Audubon's <i>D. c. auduboni</i>	22	38	4	1	3	2	3	1	0	1	1	7	83
60. Black-throated Gray Warbler <i>Dendroica nigrescens</i>	0	0	2	0	0	0	1	0	0	0	0	0	3
61. Townsend's Warbler <i>Dendroica townsendi</i>	0	2	0	0	0	0	0	0	0	0	0	1	3
62. Blackpoll Warbler <i>Dendroica striata</i>	2	0	1	1	0	0	1	0	2	0	0	0	7
63. Black-and-White Warbler <i>Mniotilta varia</i>	0	0	0	1	0	0	0	0	0	0	0	0	1
64. American Redstart <i>Setophaga ruticilla</i>	0	0	0	1	0	1	1	0	0	0	1	1	5
65. Worm-eating Warbler <i>Helminthos vermivorus</i>	0	0	0	0	0	0	0	0	0	0	0	1	1
66. Ovenbird <i>Seiurus aurocapillus</i>	1	0	0	0	0	0	0	0	0	0	0	0	1
67. Northern Waterthrush <i>Seiurus noveboracensis</i>	7	3	11	2	7	4	6	0	3	1	3	4	51
68. Mourning Warbler <i>Oporornis phalaeophila</i>	0	0	0	0	0	0	0	0	0	0	1	0	1
69. MacGillivray's Warbler <i>Oporornis tolmiei</i>	20	13	14	1	10	9	10	3	6	1	3	5	95
70. Common Yellowthroat <i>Geothlypis trichas</i>	26	0	12	1	9	2	13	2	7	0	3	0	75
71. Wilson's Warbler <i>Wilsonia pusilla</i>	6	249	30	66	6	157	5	44	3	33	1	130	730
72. Yellow-breasted Chat <i>Icteria virens</i>	28	13	9	2	3	14	13	2	7	11	7	12	121

**Boulder County Nature Association**

**Allegra Collister Nature Area**

**Bird Banding Summary - Spring 1991 through Fall 1999**

**Colorado Bird Observatory**

Species & Subspecies	1994 to '95		1995		1996		1997		1998		1999		TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
73. Summer Tanager <i>Piranga rubra</i>	0	0	0	0	0	0	1	0	0	0	0	0	1
74. Western Tanager <i>Piranga ludoviciana</i>	2	5	5	0	1	2	1	1	0	7	3	3	30
75. Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	0	1	0	0	1	0	0	0	0	0	0	0	2
76. Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	11	3	1	1	5	2	1	1	1	3	5	4	38
77. Blue Grosbeak <i>Guiraca caerulea</i>	11	3	2	0	1	4	5	1	5	18	2	10	62
78. Lazuli Bunting <i>Passerina amoena</i>	101	11	12	2	57	9	15	2	14	5	3	8	239
79. Indigo Bunting <i>Passerina cyanea</i>	2	0	0	0	3	0	0	0	3	0	0	0	8
80. Green-tailed Towhee <i>Pipilo chlorurus</i>	5	13	1	2	5	6	4	4	8	4	0	7	59
81. Spotted Towhee <i>Pipilo maculatus</i>	14	86	1	5	3	20	4	13	7	17	1	19	190
82. American Tree Sparrow <i>Spizella arborea</i>	0	30	0	6	0	1	0	3	0	24	0	0	64
83. Chipping Sparrow <i>Spizella passerina</i>	21	21	3	1	22	0	5	2	6	4	1	7	93
84. Clay-colored Sparrow <i>Spizella pallida</i>	2	3	0	0	2	1	1	1	0	0	0	3	13
85. Brewer's Sparrow <i>Spizella breweri</i>	3	1	0	1	10	1	0	3	1	3	1	0	24
86. Field Sparrow <i>Spizella pusilla</i>	0	1	0	0	1	0	0	0	0	0	0	0	2
87. Vesper Sparrow <i>Poocetes gramineus</i>	2	5	0	1	4	1	0	0	3	1	2	0	19
88. Lark Sparrow <i>Chondestes grammacus</i>	3	0	0	0	0	1	0	0	0	1	1	0	6
89. Lark Bunting <i>Calamospiza melanocorys</i>	0	0	0	0	0	0	0	0	0	0	0	1	1
90. Savannah Sparrow <i>Passerculus sandwichensis</i>	0	0	0	0	3	1	0	1	0	0	0	0	5
91. Fox Sparrow <i>Passerella illaca</i>	0	1	0	0	0	0	0	0	0	0	0	0	1
92. Song Sparrow <i>Melospiza melodia</i>	5	38	1	10	4	17	8	12	3	23	3	12	136
93. Lincoln's Sparrow <i>Melospiza lincolnii</i>	49	38	50	10	35	26	63	9	24	23	14	7	348
94. Swamp Sparrow <i>Melospiza georgiana</i>	0	2	0	0	0	1	0	0	0	0	0	0	3
95. White-throated Sparrow <i>Zonotrichia albicollis</i>	0	3	0	0	0	1	0	0	0	2	0	0	6
96. White-crowned Sparrow <i>Zonotrichia leucophrys</i>	69	205	8	18	23	74	26	17	2	104	6	25	577

(Continued)

**Boulder County Nature Association**

**Allegra Collister Nature Area**

**Bird Banding Summary - Spring 1991 through Fall 1999**

**Colorado Bird Observatory**

Species & Subspecies	1995 to '95		1995	1995	1996	1996	1997	1997	1998	1998	1999	1999	TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
a. Gambel's Z. <i>J. gambelli</i>	16	197	1	14	5	60	1	17	1	97	0	24	433
b. Mountain Z. <i>J. leucophrys</i>	53	8	7	4	18	14	25	0	1	7	6	1	144
97. Dark-eyed Junco <i>Junco hyemalis</i>	0	48	0	6	0	11	0	5	0	16	0	4	90
a. Slate-colored <i>J. h. hyemalis</i>	0	5	0	1	0	4	0	1	0	3	0	0	14
b. Oregon <i>J. h. oregonus</i>	0	37	0	4	0	4	0	3	0	11	0	3	62
c. Gray-headed <i>J. h. caniceps</i>	0	6	0	1	0	3	0	1	0	2	0	1	14
98. Red-winged Blackbird <i>Agelaius phoeniceus</i>	4	0	1	0	5	0	0	0	4	0	0	0	14
99. Western Meadowlark <i>Stumella neglecta</i>	3	0	1	0	1	0	2	0	2	0	1	0	10
100. Common Grackle <i>Quiscalus quiscula</i>	0	0	0	0	1	0	0	0	0	0	0	0	1
101. Brown-headed Cowbird <i>Molothrus ater</i>	8	0	1	0	1	0	2	0	2	1	4	0	19
102. Orchard Oriole <i>Icterus spurlus</i>	0	0	0	0	0	0	0	0	0	0	1	0	1
103. Bullock's Oriole <i>Icterus bullockii</i>	33	1	26	0	15	0	31	0	23	0	27	0	156
104. House Finch <i>Carpodacus mexicanus</i>	3	24	1	11	1	2	1	8	0	11	1	8	71
105. Pine Siskin <i>Carduelis tristis</i>	13	3	0	2	0	0	0	0	0	0	0	0	18
106. Lesser Goldfinch <i>Carduelis psaltria</i>	8	22	12	2	4	10	3	1	0	4	0	2	68
107. American Goldfinch <i>Carduelis tristis</i>	84	5	15	1	17	1	17	0	15	8	13	1	177
108. House Sparrow <i>Passer domesticus</i>	1	5	1	0	3	0	0	0	0	1	0	0	11
<b>Individuals banded</b>	<b>912</b>	<b>1523</b>	<b>521</b>	<b>236</b>	<b>446</b>	<b>624</b>	<b>497</b>	<b>237</b>	<b>259</b>	<b>488</b>	<b>206</b>	<b>396</b>	<b>6345</b>
<b>Species banded</b>	<b>62</b>	<b>67</b>	<b>56</b>	<b>46</b>	<b>54</b>	<b>58</b>	<b>52</b>	<b>38</b>	<b>42</b>	<b>51</b>	<b>48</b>	<b>50</b>	<b>108</b>
<b>Captured - not banded [ ]*</b>													
109. Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	[1]	0	[1]	0	0	[1]	0	0	0	0	0	[1]	[4]
110. Rufous Hummingbird <i>Selasphorus rufus</i>	0	0	0	0	0	0	0	0	0	0	[1]	0	[1]



**Boulder County Nature Association**  
***Allegra Collister Nature Area***  
***Sight List - Spring 1991 through Fall 1999***

**Colorado Bird Observatory**

- |   |  |  |
|---|--|--|
| 111. American White Pelican<br><i>Pelecanus erythrorhynchos</i> | 125. Peregrine Falcon<br><i>Falco peregrinus</i>               | 139. Northern Saw-whet Owl<br><i>Aegolius acadicus</i>           |
| 112. Great Blue Heron<br><i>Ardea herodias</i>                  | 126. Prairie Falcon<br><i>Falco mexicanus</i>                  | 140. Common Nighthawk<br><i>Chordeiles minor</i>                 |
| 113. Canada Goose<br><i>Branta canadensis</i>                   | 127. Virginia Rail<br><i>Rallus limicola</i>                   | 141. Black Swift<br><i>Cypseloides niger</i>                     |
| 114. Mallard<br><i>Anus platyrhynchos</i>                       | 128. Sandhill Crane<br><i>Grus canadensis</i>                  | 142. Chimney Swift<br><i>Chaetura pelagica</i>                   |
| 115. Turkey Vulture<br><i>Cathartes aura</i>                    | 129. Killdeer<br><i>Charadrius vociferus</i>                   | 143. Belted Kingfisher<br><i>Ceryle alcyon</i>                   |
| 116. Osprey<br><i>Pandion haliaetus</i>                         | 130. Common Snipe<br><i>Gallinago gallinago</i>                | 144. Lewis' Woodpecker<br><i>Melanerpes lewis</i>                |
| 117. Bald Eagle<br><i>Haliaeetus leucocephalus</i>              | 131. Franklin's Gull<br><i>Larus pipixcan</i>                  | 145. Red-headed Woodpecker<br><i>Melanerpes erythrocephalus</i>  |
| 118. Golden Eagle<br><i>Aquila chrysaetos</i>                   | 132. Ring-billed Gull<br><i>Larus delawarensis</i>             | 146. Say's Phoebe<br><i>Sayornis saya</i>                        |
| 119. Northern Harrier<br><i>Circus cyaneus</i>                  | 133. Rock Dove<br><i>Columba livia</i>                         | 147. Ash-throated Flycatcher<br><i>Myiarchus cinerascens</i>     |
| 120. Swainson's Hawk<br><i>Buteo swainsoni</i>                  | 134. Band-tailed Pigeon<br><i>Columba fasciata</i>             | 148. Brown-crested Flycatcher * C<br><i>Myiarchus tyrannulus</i> |
| 121. Red-tailed Hawk<br><i>Buteo jamaicensis</i>                | 135. Black-billed Cuckoo *<br><i>Coccyzus erythrophthalmus</i> | 149. Western Kingbird<br><i>Tyrannus verticalis</i>              |
| 122. Ferruginous Hawk<br><i>Buteo regalis</i>                   | 136. Barn Owl<br><i>Tyto alba</i>                              | 150. Tree Swallow<br><i>Tachycineta bicolor</i>                  |
| 123. Rough-legged Hawk<br><i>Buteo lagopus</i>                  | 137. Eastern Screech Owl<br><i>Otus asio</i>                   | 151. Violet-green Swallow<br><i>Tachycineta thalassina</i>       |
| 124. Merlin<br><i>Falco columbarius</i>                         | 138. Great Horned Owl<br><i>Bubo virginianus</i>               |  |

**Boulder County Nature Association**  
**Allegra Collister Nature Area**  
**Sight List - Spring 1991 through Fall 1999**

**Colorado Bird Observatory**

- |   |  |
|---|--|
| 152. N. Rough-winged Swallow<br><i>Stelgidopteryx serripennis</i> | 166. Black-throated Green Warbler *<br><i>Dendroica virens</i>       |
| 153. Cliff Swallow<br><i>Hirundo pyrrhonota</i>                   | 167. Yellow-throated Warbler *<br><i>Dendroica dominica</i>          |
| 154. Scrub Jay<br><i>Aphelocoma coerulescens</i>                  | 168. Bay-breasted Warbler *<br><i>Dendroica castanea</i>             |
| 155. Pinyon Jay<br><i>Gymnorhinus cyanocephalus</i>               | 169. Kentucky Warbler *<br><i>Oporornis formosus</i>                 |
| 156. American Crow<br><i>Corvus brachyrhynchos</i>                | 170. Hooded Warbler *<br><i>Wilsonia citrina</i>                     |
| 157. Common Raven<br><i>Corvus corax</i>                          | 171. Scarlet Tanager *<br><i>Piranga olivacea</i>                    |
| 158. Carolina Wren<br><i>Thryothorus ludovicianus</i>             | 172. Dickcissel<br><i>Spiza americana</i>                            |
| 159. Marsh Wren<br><i>Cistothorus palustris</i>                   | 173. Harris' Sparrow<br><i>Zonotrichia querula</i>                   |
| 160. Eastern Bluebird<br><i>Sialia sialis</i>                     | 174. Bobolink<br><i>Dolichonyx oryzivorus</i>                        |
| 161. Western Bluebird<br><i>Sialia mexicana</i>                   | 175. Yellow-headed Blackbird<br><i>Xanthocephalus xanthocephalus</i> |
| 162. Mountain Bluebird<br><i>Sialia currucoides</i>               | 176. Red Crossbill<br><i>Loxia curvirostra</i>                       |
| 163. Loggerhead Shrike<br><i>Lanius ludovicianus</i>              | 177. Evening Grosbeak<br><i>Coccothraustes verpertinus</i>           |
| 164. Northern Parula *<br><i>Parula americana</i>                 |  |
| 165. Magnolia Warbler<br><i>Dendroica magnolia</i>                |  |

\* Observation prior to 1991  
C Collected