

## Boulder County Nature Association

### Allegra Collister Nature Preserve

#### Bird Banding Summary - Spring 1991 through Spring 2005

Species & Subspecies	1991 - 1998		1999	1999	2000	2000	2001	2001	2002	2002	2003	2003	2004	2004	2005	2005	TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
1. Sharp-shinned Hawk <i>Accipiter striatus</i>	3	6	0	1	1	1	1	0	0	0	0	1	0	0	0		14
2. Cooper's Hawk <i>Accipiter cooperii</i>	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0		2
3. Broad-winged Hawk <i>Buteo platypterus</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		1
4. American Kestrel <i>Falco sparverius</i>	2	0	0	1	0	0	0	1	0	0	0	0	0	0	1		5
5. Mourning Dove <i>Zenaida macroura</i>	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0		1
6. Yellow-billed Cuckoo <i>Coccyzus americanus</i>	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0		2
7. Long-eared Owl <i>Asio otus</i>	[1]	1[1]	0	0	0	0	0	0	0	0	0	0	0	1	0		2
8. Red-naped Sapsucker <i>Sphyrapicus nuchalis</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		1
9. Downy Woodpecker <i>Picoides pubescens</i>	4	10	0	5	1	6	2	1	0	0	2	1	0	4	0		36
10. Hairy Woodpecker <i>Picoides villosus</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		1
11. Red-shafted Flicker <i>Colaptes auratus collaris</i>	2	23	0	1	0	6	1	0	0	0	0	2	0	1	0		36
a. Flicker Intergrade ( <i>hybrid</i> )	0	5	0	0	1	0	0	0	0	0	0	0	0	0	0		6
12. Olive-sided Flycatcher <i>Contopus cooperi</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		1
13. Western Wood-Pewee <i>Contopus sordidulus</i>	76	8	2	2	5	8	16	0	0	0	4	1	3	4	17		146
14. Eastern Wood-Pewee <i>Contopus virens</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		1
15. Alder Flycatcher <i>Empidonax alnorum</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0		1
16. Willow Flycatcher <i>Empidonax traillii</i>	51	7	2	2	6	4	5	0	0	0	1	0	3	6	15		102
17. Least Flycatcher <i>Empidonax minimus</i>	28	1	6	0	3	0	3	0	0	0	3	0	0	1	3		48
18. Hammond's Flycatcher <i>Empidonax hammondii</i>	11	1	0	0	0	0	0	0	0	0	0	0	0	0	0		12
19. Gray Flycatcher <i>Empidonax wrightii</i>	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0		4
20. Dusky Flycatcher <i>Empidonax oberholseri</i>	125	22	7	2	8	14	16	5	0	1	15	5	18	4	8		250
21. Cordilleran Flycatcher <i>Empidonax occidentalis</i>	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0		6
22. Eastern Kingbird <i>Tyrannus tyrannus</i>	1	1	0	0	0	0	1	0	0	0	0	0	0	0	0		3
23. Northern Shrike <i>Lanius excubitor</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		1
24. Plumbeous Vireo <i>Vireo plumbeus</i>	1	3	0	0	0	0	2	0	0	0	1	0	0	0	0		7
25. Warbling Vireo <i>Vireo gilvus</i>	21	3	3	2	2	6	10	0	0	0	4	0	2	5	2		60
26. Red-eyed Vireo <i>Vireo olivaceus</i>	2	1	0	1	0	2	0	0	0	0	0	0	0	1	0		7
27. Steller's Jay <i>Cyanocitta stelleri</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		1
28. Blue Jay <i>Cyanocitta cristata (n)</i>	0	10	0	1	0	3	1	4	0	0	0	0	1	1	0		21
29. Western Scrub-Jay <i>Aphelocoma californica</i>	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0		2

**Boulder County Nature Association**  
**Allegra Collister Nature Preserve**  
**Bird Banding Summary - Spring 1991 through Spring 2005**

Species & Subspecies	1991 - 1998		1999	1999	2000	2000	2001	2001	2002	2002	2003	2003	2004	2004	2005	2005	TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
30. Black-billed Magpie <i>Pica hudsonia (n)</i>	1	7	0	0	0	4	0	0	0	0	0	0	1	0	0		13
31. Barn Swallow <i>Hirundo rustica</i>	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0		2
32. Black-capped Chickadee <i>Poecile atricapillus</i>	28	122	3	12	0	31	3	7	1	9	1	8	5	12	5		247
33. Mountain Chickadee <i>Poecile gambeli</i>	1	24	0	0	0	1	0	2	0	0	0	1	0	3	0		32
34. Bushtit <i>Psaltriparus minimus plumbeus</i>	0	0	0	0	0	7	0	0	0	0	0	0	0	14	0		21
35. Red-breasted Nuthatch <i>Sitta canadensis</i>	2	3	0	0	0	2	0	0	0	0	0	0	0	3	1		11
36. White-breasted Nuthatch <i>Sitta carolinensis</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	2	0		3
37. Pygmy Nuthatch <i>Sitta pygmaea</i>	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0		2
38. Brown Creeper <i>Certhia americana</i>	0	8	0	2	0	2	0	1	0	2	0	1	0	3	0		19
39. Rock Wren <i>Salpinctes obsoletus</i>	1	1	1	0	0	0	0	0	0	0	0	2	0	0	0		5
40. House Wren <i>Troglodytes aedon (n)</i>	69	50	7	18	6	29	9	7	2	0	8	5	4	8	8		230
41. Marsh Wren <i>Cistothorus palustris</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0		1
42. Golden-crowned Kinglet <i>Regulus satrapa</i>	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0		2
43. Ruby-crowned Kinglet <i>Regulus calendula</i>	12	79	1	3	0	16	0	14	0	1	0	21	1	11	0		159
44. Blue-gray Gnatcatcher <i>Polioptila caerulea</i>	9	3	1	1	1	1	6	1	0	1	1	4	2	0	1		32
45. Townsend's Solitaire <i>Myadestes townsendi</i>	0	12	0	0	0	0	0	1	0	0	0	1	0	0	0		14
46. Veery <i>Catharus fuscescens</i>	8	1	0	0	0	0	0	0	0	0	1	0	0	0	0		10
47. Swainson's Thrush <i>Catharus ustulatus</i>	142	3	7	1	1	1	11	0	0	0	3	0	10	2	4		195
48. Hermit Thrush <i>Catharus guttatus</i>	3	5	1	1	0	2	0	1	0	0	1	3	1	0	3		21
49. American Robin <i>Turdus migratorius (n)</i>	34	388	4	18	1	24	2	18	1	0	7	75	0	24	7		603
50. Gray Catbird <i>Dumetella carolinensis</i>	85	34	10	8	14	5	15	5	0	0	14	3	15	11	17		235
51. Sage Thrasher <i>Oreoscoptes montanus</i>	0	2	0	0	0	0	0	0	0	0	0	2	0	1	0		5
52. Brown Thrasher <i>Toxostoma rufum</i>	1	5	0	0	0	0	0	0	0	0	0	0	0	0	0		6
53. European Starling <i>Sturnus vulgaris</i>	11	1	3	0	5	1	2	0	0	0	0	0	1	0	0		24
54. Cedar Waxwing <i>Bombycilla cedrorum</i>	2	4	5	0	0	0	0	1	0	0	0	0	0	0	0		12
55. Blue-winged Warbler <i>Vermivora pinus</i>	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0		1
56. Tennessee Warbler <i>Vermivora peregrina</i>	7	0	0	0	0	0	1	0	0	0	0	0	0	0	0		8
57. Orange-crowned Warbler <i>Vermivora celata</i>	93	321	12	25	2	29	6	20	0	3	10	53	4	43	11		632
58. Nashville Warbler <i>Vermivora ruficapilla</i>	2	2	1	0	0	0	0	0	0	0	0	0	0	0	0		5
59. Virginia's Warbler <i>Vermivora virginiae</i>	30	7	4	0	1	2	2	0	0	0	5	2	1	3	2		59

**Boulder County Nature Association**  
**Allegra Collister Nature Preserve**  
**Bird Banding Summary - Spring 1991 through Spring 2005**

Species & Subspecies	1991 - 1998		1999	1999	2000	2000	2001	2001	2002	2002	2003	2003	2004	2004	2005	2005	TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
60. Northern Parula <i>Parula americana</i>	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	4
61. Yellow Warbler <i>Dendroica petechia</i>	269	15	16	3	34	15	54	0	2	0	40	1	25	1	39	514	
62. Chestnut-sided Warbler <i>Dendroica pensylvanica</i>	1	0	1	1	0	0	0	0	0	0	0	0	0	1	2	6	
63. Magnolia Warbler <i>Dendroica magnolia</i>	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	
64. Black-throated Blue Warbler <i>Dendroica caerulescens</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
65. Yellow-rumped Warbler <i>Dendroica coronata</i>	54	59	1	7	1	53	82	25	0	1	3	142	4	9	5	446	
a. Myrtle <i>D. c. coronata</i>	22	8	0	0	0	0	4	4	0	0	0	35	2	0	2	77	
b. Audubon's <i>D. c. auduboni</i>	32	43	1	7	1	53	74	21	0	1	3	96	2	9	3	346	
c. Unidentified subspecies (possible hybrids)	0	0	0	0	0	0	4	0	0	0	0	11	0	0	0	15	
66. Black-throated Gray Warbler <i>Dendroica nigrescens</i>	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	
67. Townsend's Warbler <i>Dendroica townsendi</i>	0	2	0	1	0	1	0	0	0	0	0	1	0	0	0	5	
68. Palm Warbler <i>Dendroica palmarum palmarum</i>	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	
69. Blackpoll Warbler <i>Dendroica striata</i>	6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	7	
70. Black-and-white Warbler <i>Mniotilta varia</i>	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	2	
71. American Redstart <i>Setophaga ruticilla</i>	1	2	1	1	1	1	1	1	0	0	0	0	0	1	1	11	
72. Worm-eating Warbler <i>Helminthos vermivorus</i>	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	
73. Ovenbird <i>Seiurus aurocapilla</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
74. Northern Waterthrush <i>Seiurus noveboracensis</i>	34	10	3	4	1	8	0	1	0	0	0	0	2	1	0	64	
75. Mourning Warbler <i>Oporornis philadelphia</i>	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
76. MacGillivray's Warbler <i>Oporornis tolmiei</i>	60	27	3	5	1	15	5	0	0	0	4	2	3	9	4	138	
77. Common Yellowthroat <i>Geothlypis trichas</i>	67	5	3	0	1	0	3	0	0	0	4	0	3	0	2	88	
78. Wilson's Warbler <i>Wilsonia pusilla</i>	50	549	1	130	0	179	2	83	0	0	5	107	0	144	1	1251	
79. Yellow-breasted Chat <i>Icteria virens (n)</i>	60	42	7	12	8	17	5	3	0	0	8	1	5	2	5	175	
80. Summer Tanager <i>Piranga rubra</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
81. Scarlet Tanager <i>Piranga olivacea</i>	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	
82. Western Tanager <i>Piranga ludoviciana</i>	9	15	3	3	3	3	78	1	0	0	4	3	2	5	0	129	
83. Green-tailed Towhee <i>Pipilo chlorurus</i>	23	29	0	7	4	14	10	4	0	0	9	6	9	0	9	124	
84. Spotted Towhee <i>Pipilo maculatus</i>	29	141	1	19	2	12	1	9	0	0	0	15	2	5	3	239	
85. American Tree Sparrow <i>Spizella arborea</i>	0	64	0	0	0	0	0	0	0	3	0	12	0	6	0	85	
86. Chipping Sparrow <i>Spizella passerina</i>	57	28	1	7	11	9	20	3	0	0	3	7	13	1	0	160	

**Boulder County Nature Association**  
**Allegra Collister Nature Preserve**  
**Bird Banding Summary - Spring 1991 through Spring 2005**

Species & Subspecies	1991 - 1998		1999	1999	2000	2000	2001	2001	2002	2002	2003	2003	2004	2004	2005	2005	TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
87. Clay-colored Sparrow <i>Spizella pallida</i>	5	5	0	3	0	0	0	0	0	0	0	0	0	1	0		14
88. Brewer's Sparrow <i>Spizella breweri</i>	14	9	1	0	2	3	3	0	0	0	4	0	2	5	4		47
89. Field Sparrow <i>Spizella pusilla</i>	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0		2
90. Vesper Sparrow <i>Pooecetes gramineus</i>	9	8	2	0	0	7	1	0	0	0	0	2	1	0	1		31
91. Lark Sparrow <i>Chondestes grammacus</i>	3	2	1	0	1	0	4	0	0	0	1	0	1	0	0		13
92. Lark Bunting <i>Calamospiza melanocorys</i>	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0		1
93. Savannah Sparrow <i>Passerculus sandwichensis</i>	3	2	0	0	0	0	0	0	0	0	0	0	0	0	0		5
94. Fox Sparrow <i>Passerella iliaca</i>	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0		1
95. Song Sparrow <i>Melospiza melodia</i>	21	100	3	12	6	25	1	3	0	0	2	9	4	9	7		202
96. Lincoln's Sparrow <i>Melospiza lincolni</i>	221	106	14	7	12	25	19	16	0	0	20	11	17	13	16		497
97. Swamp Sparrow <i>Melospiza georgiana</i>	0	3	0	0	0	0	0	0	0	0	0	1	0	0	0		4
98. White-throated Sparrow <i>Zonotrichia albicollis</i>	0	6	0	0	0	0	0	0	0	2	0	2	0	3	0		13
99. White-crowned Sparrow <i>Zonotrichia leucophrys</i>	128	418	6	25	6	74	18	56	0	4	7	55	9	20	20		846
a. Gambel's <i>Z. l. gambelli</i>	24	385	0	24	0	66	3	55	0	4	0	49	2	14	10		636
b. Mountain <i>Z. l. oriantha</i>	104	33	6	1	6	8	15	1	0	0	7	6	7	3	10		207
c. Unidentified subspecies														3	0		3
100. Dark-eyed Junco <i>Junco hyemalis</i>	0	86	0	4	0	2	0	11	0	5	0	19	0	46	0		173
a. Slate-colored <i>J. h. hyemalis</i>	0	14	0	0	0	0	0	0	0	1	0	3	0	4	0		22
b. Oregon <i>J. h. mearnsi</i>	0	59	0	3	0	2	0	11	0	4	0	12	0	34	0		125
c. Gray-headed <i>J. h. caniceps</i>	0	13	0	1	0	0	0	0	0	0	0	4	0	5	0		23
d. Unidentified subspecies														3	0		3
101. Rose-breasted Grosbeak <i>Pheucticus ludovicianus</i>	1	1	0	0	0	0	1	0	0	0	0	0	1	0	0		4
102. Black-headed Grosbeak <i>Pheucticus melanocephalus</i>	19	10	5	4	5	2	3	0	0	0	3	2	1	0	1		55
103. Blue Grosbeak <i>Passerina caerulea</i>	24	26	2	10	4	3	1	6	0	0	2	0	0	0	5		83
104. Lazuli Bunting <i>Passerina amoena (n)</i>	199	29	3	8	16	22	51	1	0	0	11	0	14	0	6		360
105. Indigo Bunting <i>Passerina cyanea</i>	8	0	0	0	1	0	0	0	0	0	1	0	0	0	1		11
106. Red-winged Blackbird <i>Agelaius phoeniceus</i>	14	0	0	0	2	0	0	0	0	0	0	0	0	0	0		16
107. Western Meadowlark <i>Sturnella neglecta (n)</i>	9	0	1	0	0	0	1	0	0	0	1	0	0	0	0		12
108. Common Grackle <i>Quiscalus quiscula</i>	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0		2
109. Brown-headed Cowbird <i>Molothrus ater (bp)</i>	14	1	4	0	3	2	2	0	1	0	1	0	0	0	3		31

## Boulder County Nature Association

### Allegra Collister Nature Preserve

#### Bird Banding Summary - Spring 1991 through Spring 2005

Species & Subspecies	1991 - 1998		1999	1999	2000	2000	2001	2001	2002	2002	2003	2003	2004	2004	2005	2005	TOTAL
	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	Spng	Fall	
110. Orchard Oriole <i>Icterus spurlus</i>	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0		1
111. Bullock's Oriole <i>Icterus bullockii</i>	128	1	27	0	7	1	39	0	7	0	23	1	11	0	31		276
112. House Finch <i>Carpodacus mexicanus</i>	6	56	1	8	0	6	2	5	0	0	0	1	0	4	0		89
113. Pine Siskin <i>Carduelis pinus</i>	13	5	0	0	0	0	0	0	0	0	0	0	0	0	0		18
114. Lesser Goldfinch <i>Carduelis psaltria</i>	27	39	0	2	0	96	0	0	0	0	0	12	0	1	1		178
115. American Goldfinch <i>Carduelis tristis</i>	148	15	13	1	5	11	9	2	0	0	10	0	14	3	20		251
116. House Sparrow <i>Passer domesticus</i>	5	6	0	0	0	0	1	0	0	0	0	0	0	10	0		22
<b>Individuals banded</b>	<b>2635</b>	<b>3125</b>	<b>206</b>	<b>396</b>	<b>198</b>	<b>815</b>	<b>535</b>	<b>319</b>	<b>15</b>	<b>32</b>	<b>247</b>	<b>605</b>	<b>217</b>	<b>469</b>	<b>293</b>		<b>10,107</b>
<b>Species banded</b>	<b>80</b>	<b>85</b>	<b>48</b>	<b>50</b>	<b>44</b>	<b>54</b>	<b>52</b>	<b>35</b>	<b>7</b>	<b>11</b>	<b>39</b>	<b>48</b>	<b>41</b>	<b>48</b>	<b>40</b>		<b>116</b>
117. Broad-tailed Hummingbird <i>Selasphorus platycercus</i>	[1]	[1]	0	[1]	0	0	0	0	0	0	0	0	[1]	[1]	[1]		[6]
118. Rufous Hummingbird <i>Selasphorus rufus</i>	0	0	[1]	0	0	[1]	0	0	0	0	0	0	0	0	0		[2]

[ ] Captured - not banded      (n) nesting confirmed      (bp) brood parasite