INDIAN PEAKS BIRD COUNTS

Summer 2020

Newsletter

Vol.39 No.2

Breeding Count Summary

In terms of number of birds per count hour, this was a little below average but better than last year. Number of species was slightly above average and slightly better than last year.

May, June and July had below average precipitation and above average temperatures. The subalpine and tundra had about average snowpack, so there was typical timing of arrival and nesting. In the montane, there was no delay in commencement of nesting activities. And there were few interruptions to the nesting process due to weather. (My theory says this leads to increased nesting success this year and higher numbers next year - hah!)

Breeding Count Summary

Number of Species 2020 – 108 30-Year Average – 102 Last Year – 106 Record High – 112 (2001) Record Low – 88 (1984)

Number of Individuals 2019 – 40 per count hour 30-Year Average – 44 Last Year – 33 Record High – 59 (2004) Record Low – 31 (1982)

The decent overall count was spearheaded by Broad-tailed Hummingbirds, as they were the most numerous species on the count. Over the 39-years of the count, there is an indication that they have been an increaser; we observed about 250 per 100 count hours during the first 20 years and about 350 per 100 count hours for the past 19 years.

Other abundant species are noted in the following list. They represent our ambient background sounds and sights as they comprised almost 50% of total birds seen on the count this year.

Red Crossbill is on the list this year as

the abundant cone-crop on multiple conifer species has brought them in; there is evidence they nested locally, likely over the winter, as juveniles were being seen in April and May.

2020 Top 10 Species

Broad-tailed Humm	. 540
American Robin	. 374
Dark-eyed Junco	. 353
Ruby-crowned Kinglet	. 249
Red Crossbill	. 224
Yellow-rumped Warbler	. 204
Mountain Chickadee	. 199
Pine Siskin	. 167
Lincoln's Sparrow	. 164
Warbling Vireo	. 152

It seems a bit odd having Lincoln's Sparrow on the list as they are restricted in habitat to willow carrs and other riparian areas. But they have good densities in those habitats and their song is very conspicuous. It could also be related to where there is trail and road access and where we bird.

Other species with much better than average numbers included Turkey Vulture, Mourning Dove, Great Horned Owl, Rufous Hummingbird, Hairy Woodpecker, Horned Lark, Red-breasted Nuthatch, Pygmy Nuthatch, Yellow Warbler, MacGillivray's Warbler, Blackheaded Grosbeak, and Chipping Sparrow.

Pygmy Nuthatch is of interest. We saw around 13 per 100 count hours during the first 20 years and almost 30 per 100 count hours the past 19 years. They have been regularly seen in the lower elevation count areas like Sugarloaf, the lower portions of the Ward count areas, and Rollinsville. It has been interesting to watch their presence increase in the valley between Nederland and Eldora. Few were seen in the Nederland/Arapaho Ranch/Tucker/Eldora count areas until around 1989, when they became more regular in Tucker, Arapaho Ranch and Nederland count areas, all below Eldora, where they were seen irregularly (only 5 times in 37 years). Over the last 10 years they have been

detected more between Nederland and Eldora and are now becoming regular in Eldora.

As always, there were some good finds. A first time find for the Breeding Count is Canvasback, seen at Caribou Ranch. Other good finds included Lesser Scaup (5th time on Breeding Count, all since 2002; Brainard North), Wild Turkey (5th time, all since 2008; Tucker, Rollinsville, Eldora, Nederland, Caribou Ranch), Pied-billed Grebe (5th time, 3 of 5 sightings in last 4 years; South St. Vrain), Calliope Hummingbird (2nd time; Sugarloaf), American Coot (7th time, first time since 1992; Rollinsville), Gray Catbird (5th time, 4 of 5 sightings since 2004; Sugarloaf), White-winged Crossbill (7th time, seen last Fall and Winter counts, so 3 counts in a row; Caribou), Yellowheaded Blackbird (3rd time; Nederland), and Lazuli Bunting (6th time: Rollinsville and Ward North).

Wild Turkey is an addition to the count's landscape. In the early 1980s it was thought that the primary flocks were near Kossler Lake (Flagstaff Drive) and on Heil Valley Ranch. They have greatly expanded their range further up in elevation in western Boulder County.

Species normally seen over 50% of the time but missed this year included Greenwinged Teal (this is 6th Breeding Count in a row

they have not been seen), Ring-necked Duck, White-throated Swift, Northern Rough-winged Swallow, Spotted Towhee, Savannah Sparrow, and Evening Grosbeak.

Species making a poor numeric showing were all *accipiters*, Band-tailed Pigeon, Dusky Flycatcher, Swainson's Thrush, and Fox Sparrow.

Our field effort - 139 hours - was excellent. There is no loss of effort for the Breeding Count. We continue to pick up some new participants to supplement us old-timers with some fresh legs and young ears. I am also starting to pull more data from eBird.

As always, thanks for your continued participation.

Looking Ahead

Fall Count

Count Day - September 12 Count Period - September 5-20

Happy Birding, Dave Hallock

2020 INDIAN PEAKS BREEDING BIRD COUNT

Count day – June 20; Count period – June 1 – July 15; Weather: warmer and drier than normal; May had been warm and dry. Thirty-eight observers, 19 (of 25) areas covered. Total party hours: 139.

Canada Goose	Olive-sided Flycatcher 13 Western Wood-Pewee 25	Hermit Thrush
Canvasback5	Hammond's Flycatcher 8	Gray Catbird
Lesser Scaup2	Dusky Flycatcher 24	European Starling2
duck species	Hammonds/Dusky Fly 1	House Sparrow
Common Merganser3	Cordilleran Flycatcher 58	American Pipit41
Wild Turkey23	flycatcher species	Pine Grosbeak
White-tailed Ptarmigan4	Plumbeous Vireo	Brown-capped Rosy-Finch. 42
Dusky Grouse8	Warbling Vireo 152	House Finch
Pied-billed Grebe1	Canada Jay 20	Cassin's Finch
Band-tailed Pigeon18	Steller's Jay78	Red Crossbill
Eurasian-collared Dove2	Blue Jay 1	White-winged Crossbill5
Mourning Dove39	Clark's Nutcracker71	Pine Siskin
Common Nighthawk1	Black-billed Magpie 62	Lesser Goldfinch6
Calliope Hummingbird3	American Crow	American Goldfinch4
Rufous Hummingbird14	Common Raven 62	Chipping Sparrow97
Broad-tailed Humming540	Horned Lark 25	Brewer's Sparrow3
American Coot5	Tree Swallow 138	Fox Sparrow 15
Wilson's Snipe11	Violet-green Swallow 140	Dark-eyed Junco353
Spotted Sandpiper15	Barn Swallow 41	White-crowned Sparrow 141
Double-crested Cormorant8	Cliff Swallow 64	Vesper Sparrow4
Great Blue Heron1	swallow species5	Song Sparrow42
Turkey Vulture15	Black-capped Chickadee 31	Lincoln's Sparrow164
Osprey2	Mountain Chickadee 199	Green-tailed Towhee 64
Bald Eagle1	Red-breasted Nuthatch 83	Yellow-headed Blackbird2
Sharp-shinned Hawk1	White-breasted Nuthatch 31	Red-winged Blackbird75
Accipiter species1	Pygmy Nuthatch 88	Brewer's Blackbird1
Red-tailed Hawk11	Brown Creeper 11	Common Grackle12
Golden Eagle1	Rock Wren 11	Brown-headed Cowbird 22
Great Horned Owl5	House Wren 98	Virginia's Warbler2
Belted Kingfisher1	American Dipper 10	MacGillivray's Warbler 45
Williamson's Sapsucker12	Golden-crowned Kinglet 19	Yellow Warbler38
Red-naped Sapsucker20	Ruby-crowned Kinglet 249	Yellow-rumped Warbler 204
Am. 3-toed Woodpecker8	Western Bluebird 4	Wilson's Warbler75
Downy Woodpecker15	Mountain Bluebird49	Western Tanager30
Hairy Woodpecker53	Townsend's Solitaire 35	Black-headed Grosbeak 37
Northern Flicker48	Veery 1	Lazuli Bunting2
American Kestrel1	Swainson's Thrush11	=

Totals: 108 species; 5557 individuals; 40 individuals per count hour. Participants: Linda Andes-Georges, Bev Baker, Maureen Blackford, Alex Brown, Diane Brown, Gillian Brown, Jack Bushong, Ryan Bushong, George Coffee, Todd Deininger, *Andy Dorsey, *David Dowell, Virginia Evans, Mike Figgs, Audrey Godell, Dave Hallock, Dave Hill, Elaine Hill, Jim Holitza, Steve Jones, Nan Lederer, Greg Massey, Eliza Maxfield, Holden Maxfield, Mary Maxfield, Lisa McCoy, *Loren Merrill Naseem Munshi, Carol Newman-Holitza, Mark Pscheid, Jeannie Reynolds, *David Schiff, Cara Stiles, Lucy Stroock, Mike Tupper, Susan Wagner, Marty Wolf, and Patty Zishka.

^{* -} from eBird