


Selected Bird Species 2006-20 within Areas Reporting At Least 10 of 15 Years
 Boulder County species of special concern are indicated in parenthesis. Sources Hallock, Dave, and Stephen Jones. 2010. Boulder County avian species of special concern. Boulder County Nature Association. Boulder County Nature Series: 1.


Wood Duck (Boulder County isolated are restricted)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	0	22.2	16.7	0	0	16.7	16.7	0	10	25	16.7	18.2	27.3	30




Blue-winged Teal

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	22.2	22.2	16.7	16.7	8.5	16.7	33.3	10	10	16.7	25	18.2	36.4	20




Green-winged Teal

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	0	11.1	8.3	8.3	8.3	8.3	25	10	0	8.5	25	9.1	36.4	20




Cinnamon Teal

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	0	11.1	8.3	8.3	8.3	16.7	16.7	10	10	8.3	25	18.2	36.4	10




Wild Turkey

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	33.3	11.1	25	16.7	25	25	25	20	20	33.3	33.3	45.5	36.3	50




Dusky Grouse

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% of Areas Where Observed	25	22.2	22.2	8.5	8.5	8.5	8.5	8.5	10	20	8.5	8.5	18.2	9.1	30




Black-chinned Hummingbird

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	0	0	0	0	0	10	0	0	0	8.5	8.5	9.1	9.1	10




American Avocet

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	22.2	22.2	16.7	0	16.7	8.5	33.3	0	0	0	0	9.1	18.2	20




Eurasian Collared-Dove

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	11.1	22.2	25	16.7	33.3	58.5	33.3	70	50	41.7	50	63.6	45.5	50




American Bittern (Boulder County isolated or restricted)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	11.1	11.1	16.7	16.7	25	16.7	25	10	20	25	8.3	18.2	9.1	20




Green Heron (Boulder County isolated or restricted)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	11.1	11.1	8.3	16.7	8.3	16.7	0	0	0	0	0	0	0	10




Northern Harrier (Boulder County rare and declining; isolated or restricted)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	22.2	11.1	16.7	16.7	8.5	8.5	8.5	10	20	16.7	25	27.3	18.2	20



Osprey (Boulder County isolated or restricted)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% of Areas Where Observed	25	22.2	11.1	16.7	25	25	25	25	30	20	16.7	16.7	18.2	18.2	20




Northern Goshawk (Boulder County isolated or restricted)

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	0	0	0	5.6	0	0	0	9.1	0	0	5.9	0	5	10.5


Cooper's Hawk

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	33.3	22.2	33.3	41.7	33.3	16.7	33.3	40	50	16.7	25	27.3	27.3	50




Sharp-shinned Hawk

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	33.3	11.1	0	8.3	0	8.3	8.3	0	10	0	8.3	9.1	0	0




Swainson's Hawk

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	11.1	11.1	16.7	8.3	8.3	0	8.3	10	0	8.3	16.7	18.3	0	10




Williamson's Sapsucker










	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	50	22.2	11.1	8.3	8.3	8.3	8.3	8.3	10	10	8.3	8.3	18.2	0	10



Red-naped Sapsucker


	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	0	11.1	0	8.3	8.3	8.3	16.7	10	20	8.3	0	9.1	9.1	10






Gray Catbird

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	22.2	22.2	41.7	33.3	25	41.7	16.7	20	30	16.7	41.7	45.5	45.5	70




Cedar Waxwing

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	0	11.1	8.3	16.7	8.3	16.7	8.3	20	10	8.3	25	36.4	27.3	30




Grasshopper Sparrow

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	11.1	11.1	16.7	8.3	8.3	16.7	16.7	30	10	0	0	9.1	0	20




Lark Sparrow

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	11.1	11.1	16.7	8.3	16.7	25	25	10	20	16.7	33.3	9.1	18.2	10



Vesper Sparrow

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	50	33.3	22.2	25	41.7	33.3	33.3	50	40	40	33.3	41.7	27.3	27.3	20



Savannah Sparrow

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	0	0	25	16.7	8.3	25	25	10	0	8.3	8.3	0	9.1	10

Yellow-breasted Chat

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	33.3	33.3	25	33.3	33.3	33.3	33.3	40	40	25	25	45.5	36.4	40

Ovenbird (Boulder County rare)


	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	0	0	0	8.3	8.3	8.3	8.3	16.7	20	20	25	33.3	27.3	18.2	30

Blue Grosbeak

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	22.2	22.2	25	25	25	25	41.7	40	50	25	33.3	36.4	18.2	30

Lazuli Bunting

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
% Areas Where Observed	25	33.3	22.2	50	58.3	50	58.3	50	40	60	25	50	45.4	45.4	60

**"Common" Species**

	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
American Kestrel	66.6	83.3	42.9	60	70	80	70	60	55.5	62.5	62.5	87.5	62.5	50	62.5
% Selected where Observed	66.6	83.3	42.9	60	70	80	70	60	55.5	62.5	62.5	87.5	62.5	50	62.5

